

---

## Licensing Inspection Report ( Semi-Annual Inspection )

Facility: FOYER PERE Fiset AUXILIARY

Address: 15092 CABOT TRAIL  
CHÉTICAMP NS, B0E 1H0

Date(s) of Inspection: April 13, 2022

---

### Requirements resulting from licensing inspection:

1. LTCPR 12.1.6  
The licensee shall ensure hazardous products that may be harmful to residents are secured at all times and are not accessible to residents. They are stored and disposed of in accordance with established safety practices/manufacturers' recommendations.
2. LTCPR 6.1.3  
The licensee shall ensure results of assessments are documented on the resident record, are communicated appropriately to staff and become the basis for the resident plan of care.
3. LTCPR 10.2.2.b  
The licensee shall ensure policies and procedures regarding resident records are developed and followed with respect to: access, privacy, confidentiality.
4. LTCPR 6.3.10  
Additional Requirements for Nursing Homes - The licensee shall ensure each resident's plan of care is based on the risks and needs identified in the inter-disciplinary assessments referenced in section 6.1, Additional Requirements for Nursing Homes, and the resident's choice.
5. HSCR 18(3)  
In every nursing home and nursing care section of a home for the aged where there are thirty or more residents, there shall be at least one registered nurse on duty at all times.