
Licensing Inspection Report (Annual Inspection)

Facility: HALIBURTON PLACE

Address: 89 PAYZANT DR.
WINDSOR NS, B0N 2T0

Date(s) of Inspection: September 14, 2021

Requirements resulting from licensing inspection:

1. LTCPR 8.2.1.g
The licensee shall ensure policies and procedures that minimize risk to residents, staff, volunteers, visitors and the home are developed and followed. These include but are not limited to: a safety alerts policy and procedures that includes information management, follow up actions and risk mitigation.
2. LTCPR 6.6.1, LTCPR 6.6.2
The licensee shall ensure an oral health assessment is initiated on admission and completed by staff within two weeks. Any risks relating to oral status (such as pain, swelling, bleeding, broken or decayed teeth, debris and food particles) are documented on admission and monitored regularly by staff in order to initiate appropriate referrals to dental professionals, when required and desired by the resident or authorized designate, and to inform daily mouth care planning.
3. LTCPR 9.2.10
The licensee shall ensure a written record for fire drills and exercises outlined above, that includes the date, time, location, staff attendance, response times, outcomes, areas for improvement, remedial actions and debriefing, is maintained by the licensee.
4. LTCPR 6.1.5a
Additional Requirements for Nursing Homes - The licensee shall ensure residents have an interdisciplinary assessment of risk, functional abilities, cognition, nutrition, oral health (see section 6.6), pain and discomfort, falls risk, and recreation, initiated upon admission to the home and completed within two weeks.
5. LTCPR 6.6.3
The licensee shall ensure each resident has a daily mouth care plan that includes appropriate hygiene techniques and products to maintain oral cleanliness of natural teeth and/or dentures.

- 6.** LTCPR 6.5.2.c
The licensee shall ensure the following processes are developed and followed: labeling of food in refrigerators and discarding of expired food.
- 7.** LTCPR 9.2.4.a
The licensee shall ensure there is a documented Fire Safety Plan, in accordance with the National Fire Code, that is reviewed a minimum of annually and revised as necessary to ensure the plan is current.
- 8.** HSCR 20A(1), LTCPR 9.1.2
The licensee shall ensure a labour disruption contingency plan, which may be included in the business continuity plan, is developed in consultation with service partners as appropriate.
- 9.** LTCPR 6.1.5b
Additional Requirements for Nursing Homes - The licensee shall ensure residents have a skin integrity assessment completed within 24 hours of admission to the home, and on an ongoing basis in accordance with the residents' individual needs.
- 10.** HSCR 9(1), LTCPR 7.5.2
The licensee shall ensure a valid and current Homes for Special Care license to operate is posted in a conspicuous location in the home.
- 11.** LTCPR 9.2.2 c
The licensee shall ensure the Business Continuity Plan is reviewed a minimum of annually and revised as necessary to ensure it is current.