
Licensing Inspection Report (Semi-Annual Inspection)

Facility: HARBOURVIEW LODGE CONTINUING CARE CENTRE

Address: 22639 HIGHWAY 7 HWY.
SHEET HARBOUR NS, B0J 3B0

Date(s) of Inspection: November 5, 2021

Requirements resulting from licensing inspection:

1. LTCPR 12.1.6
The licensee shall ensure hazardous products that may be harmful to residents are secured at all times and are not accessible to residents. They are stored and disposed of in accordance with established safety practices/manufacturers' recommendations.
2. HSCR 27(11), LTCPR 9.2.4.g
No person shall be maintained in a home for special care or any part thereof that is not approved by a Fire Marshal with respect to fire safety.
3. LTCPR 8.5.15
The licensee shall ensure discontinued and expired medications are disposed in a safe and appropriate manner.
4. LTCPR 12.1.8
The licensee shall ensure cleaning and disinfectant products and other chemicals used in environmental cleaning are not used after their expiration date.
5. LTCPR 7.1.3.a
The licensee shall ensure the operation of the home is in compliance with all applicable legislation, including but not limited to: the Homes for Special Care Act (HSCA) and Regulations, the Protection for Persons in Care Act (PPCA), the Personal Directives Act (PDA), the Personal Health Information Act (PHIA), the Occupational Health and Safety Act and the Smoke-free Places Act.

Outstanding requirements from previous inspection(s):

1. Date of inspection: March 10, 2021, July 5, 2021, November 5, 2021

HSCR 21

It is a term and condition of every license that the licensee shall comply with the Acts and regulations, and any orders or directions of an appropriate authority, respecting fire, safety, health and sanitary requirements.