

---

## Licensing Inspection Report ( Annual Inspection )

Facility: MARY'S ABIDE-A-WHILE HOME LIMITED

Address: 188 WATER ST.  
SHELBURNE NS, B0T 1W0

Date(s) of Inspection: June 8, 2022

---

### Requirements resulting from licensing inspection:

1. LTCPR 6.3.4.a  
The licensee shall ensure each resident has a plan of care which includes the plan's rationale, measurable and achievable goals, benefits, expected outcomes, detailed actions that the interdisciplinary team shall undertake to meet the resident's identified needs and time frames for evaluation.
2. LTCPR 6.5.2.c  
The licensee shall ensure the following processes are developed and followed: labeling of food in refrigerators and discarding of expired food.
3. LTCPR 7.5.1.c  
The licensee shall ensure compliance with all applicable government inspection processes, policies, standards, requirements and service agreements, including but not limited to, the following authorities: Nova Scotia Environment.
4. LTCPR 8.2.3.b  
The licensee shall ensure risk management processes that minimize risk to residents and staff are implemented. These include but are not limited to: a process to direct staff in the event of a missing resident.
5. HSCR 20A(1), LTCPR 9.1.2  
The licensee shall ensure a labour disruption contingency plan, which may be included in the business continuity plan, is developed in consultation with service partners as appropriate.