

Licensing Inspection Report (Annual Inspection)

Facility: MINER'S MEMORIAL MANOR SOCIETY

Address: 15 LORNE ST.
SYDNEY MINES NS, B1V 3B9

Date(s) of Inspection: October 19, 2020

Requirements resulting from licensing inspection:

1. LTCPR 9.2.2 a
The licensee shall ensure there is a documented Business Continuity Plan that addresses the operational recovery and continuity of services in the face of a disaster, labour disruption or other major outage. The Business Continuity Plan includes the following: hazard, vulnerability and risk assessment, mission critical activities, recovery strategies, loss of electrical power, water, heat, ventilation and waste water services, loss of information technology (computer / telephone / fax) priorities, geographic footprint and pandemic situation (pandemic planning is undertaken and completed in accordance with direction received from the Department of Health and Wellness.)
2. LTCPR 11.1.7
The licensee shall ensure an orientation checklist, indicating which orientation components have been completed by staff, is signed, dated and maintained in each staff member's personnel file.
3. LTCPR 6.5. 9
The licensee shall ensure supervision and assistance are provided during meals, snacks and other food related activities as necessary.
4. LTCPR 6.1.3
The licensee shall ensure results of assessments are documented on the resident record, are communicated appropriately to staff and become the basis for the resident plan of care.
5. LTCPR 9.2.1 a
The licensee shall ensure there is a documented All Hazards Plan which is reviewed a minimum of every three years and revised as necessary to ensure the plan is current. The All Hazards Plan shall address: emergency evacuation, emergency relocation, emergency expansion, emergency isolation, bomb threat/suspicious package, external air exclusion, chemical spill, violent person and facility access control.