
Licensing Inspection Report (Annual Inspection)

Facility: PONT DU MARAIS BOARDING HOME

Address: 1526 HIGHWAY 335 HWY.
LOWER WEST PUBNICO NS, B0W 2M0

Date(s) of Inspection: August 7, 2025

Requirements resulting from licensing inspection:

1. LTCPR 8.1.5
The licensee shall ensure a process is in place to review the results of the satisfaction surveys and to develop and implement appropriate changes.
2. LTCPR 12.2.2.2.c
The licensee shall ensure aesthetic, functional and surface integrity of the following are maintained: interior building components such as, but not limited to, partitions, ceilings, doors, casework, coatings and sealants.
3. LTCPR 12.1.6
The licensee shall ensure hazardous products that may be harmful to residents are secured at all times and are not accessible to residents. They are stored and disposed of in accordance with established safety practices/manufacturers' recommendations.
4. LTCPR 8.5.15
The licensee shall ensure discontinued and expired medications are disposed in a safe and appropriate manner.
5. HSCR 38(6)
An administrator who authorizes a resident to store drugs in the resident's room in accordance with subsection (4) or (5) shall ensure that the drugs are safely stored at all times.
6. LTCPR 6.3.4.a
The licensee shall ensure each resident has a plan of care which includes the plan's rationale, measurable and achievable goals, benefits, expected outcomes, detailed actions that the interdisciplinary team shall undertake to meet the resident's identified needs and time frames for evaluation.