
Licensing Inspection Report (Semi-Annual Inspection)

Facility: ROSEWAY MANOR, INCORPORATED
Address: 1604 LAKE RD.
SANDY POINT NS, B0T 1W0
Date(s) of Inspection: October 31, 2023

Requirements resulting from licensing inspection:

1. LTCPR 12.2.2.2.c
The licensee shall ensure aesthetic, functional and surface integrity of the following are maintained: interior building components such as, but not limited to, partitions, ceilings, doors, casework, coatings and sealants.
2. LTCPR 12.1.6
The licensee shall ensure hazardous products that may be harmful to residents are secured at all times and are not accessible to residents. They are stored and disposed of in accordance with established safety practices/manufacturers' recommendations.
3. LTCPR 7.1.3.a
The licensee shall ensure the operation of the home is in compliance with all applicable legislation, including but not limited to: the Homes for Special Care Act (HSCA) and Regulations, the Protection for Persons in Care Act (PPCA), the Personal Directives Act (PDA), the Personal Health Information Act (PHIA), the Occupational Health and Safety Act and the Smoke-free Places Act.

Outstanding requirements from previous inspection(s):

1. Date of inspection: July 4, 2023 and October 31, 2023
LTCPR 8.3.10
Additional Requirement for Nursing Homes - The licensee shall ensure a least restraint policy and procedures are developed and followed.
2. Date of inspection: February 22, 2021; June 24 and 25, 2021; November 9, 2021; April 13, 2022; June 7, 2022; October 16, 2022; January 16, 2023; July 4, 2023 and October 31, 2023
LTCPR 8.5.4
The licensee shall ensure medications are accounted for, administered and documented in accordance with federal and provincial legislation and professional practice standards.